Seasonal Influenza Vaccination Information on Side Effects (Injectable Vaccine)

The Department of Health (DH) has arranged Vaccination Team (by DH or through public private partnership) to provide your child with Seasonal Influenza Vaccine (SIV) at your child's school on ______ 2 8 NOV 2024_____ (date). Inactivated SIV (by injection) was provided. Please note the information below:

- Inactivated influenza vaccine is very safe and usually well tolerated, apart from occasional soreness, redness or swelling at the vaccination site.
- 2. Some children may experience fever, muscle pain, and tiredness 6 to 12 hours after vaccination. These usually improve in two days.
- 3. If fever or discomfort persists, please consult a doctor. Severe allergic reactions like hives, swelling of the lips or tongue, and difficulties in breathing, or serious adverse events such as limb numbness or weakness are rare but require emergency consultation.

If	you	have	any	queries	regarding	SIV,	please	call			
	. ,.	T	C		Eminent Medical Centre TEL: 2384 6999						
Vaccination Team from: _					TEL. 2004 0000						

(Name of Enrolled doctor/ Medical Organisation)

季節性流感疫苗 副作用資料頁 (注射式疫苗)

衞生	生署已於	(日期)	安排	变苗接	種隊	()	由	
衞生署或透過公私營合作) 到校為 貴子女接種滅活季節性流感疫								
苗	(注射式)。請留意以下資訊:							
1.	滅活流感疫苗十分安全,除了接外,一般並無其他副作用。	達種部位 了	可能會是	出現痛	楚、	紅	腫	
2.	部分學生在接種後 6 至 12 小痛,以及疲倦等症狀,這些症狀					L肉	疼	
3.	如持續發燒或不適,請諮詢醫生 口舌腫脹及呼吸困難等嚴重過敏 手腳麻痺、無力,患者必須立即	友反應,						
如	有任何關於季節性流愿	及 苗	的疑	問,	請	致	電	
接種隊:								

Environt Medical Centre TEL: 2384 6999

(已配對醫生姓名/醫療機構名稱)

SIVSO_D_C2 最後更新: 2024 年 5 月